




Since 1962


INDIA'S MOST RELIABLE
DESIGNER TILES
& STONE COMPANY

www.thestonepeople.in



Applications

aplicaciones /
applications



TABLES



INTERIOR FLOORS




INTERIOR WALLS



Applications

aplicaciones /
applications





colecciones /
collections

Collec- tion

**600X
1200MM
BLEND**



Oxido Blue

Size
600X1200MM Finish
Carving

Random
4 Thickness
5.5MM



BLEND

Features

- Easy to install
- Resistant to Staining
- Impact resistant
- High MOR
- Thermal shock resistant
- Ecology & Sustainable
- Acid resistant
- Easy to clean
- Frost resistant

Oxido Blue



Size
600X1200MM

Random
4

Finish
Carving

Thickness
5.5MM



| **BLEND**



Size
600X1200MM

Finish
Carving

Random
3

Thickness
5.5MM

Profidi Brown



BLEND

Features



Easy to install



Resistant to Staining



Impact resistant



High MOR



Thermal shock resistant



Ecology & Sustainable



Acid resistant



Easy to clean



Frost resistant

Profidi Brown

Size
600X1200MM


Random
3

Finish
Carving

Thickness
5.5MM



| **BLEND**



Profidi Gris

Size
600X1200MM

Finish
Carving

Random
3

Thickness
5.5MM



BLEND

Features

-  Easy to install
-  Resistant to Staining
-  Impact resistant
-  High MOR
-  Thermal shock resistant
-  Ecology & Sustainable
-  Acid resistant
-  Easy to clean
-  Frost resistant

Profidi Gris



Size
600X1200MM

Random
3

Finish
Carving

Thickness
5.5MM



| **BLEND**



Size
600X1200MM

Finish
Carving

Random
3

Thickness
5.5MM

Chip Stone Bianco



BLEND

Features



Easy to install



Resistant to Staining



Impact resistant



High MOR



Thermal shock resistant



Ecology & Sustainable



Acid resistant



Easy to clean



Frost resistant

Chip Stone Bianco

Size
600X1200MM


Random
4

Finish
Carving

Thickness
5.5MM



BLEND



**600X
1200MM
STONIC**



Size
600X1200MM

Finish
Digi Matt

Random
6

Thickness
5.5MM

Azure Bianco



STONIC

Features



Easy to install



Resistant to Staining



Impact resistant



High MOR



Thermal shock resistant



Ecology & Sustainable



Acid resistant



Easy to clean



Frost resistant


Azure Bianco

Size
600X1200MM


Random
6

Finish
Digi Matt

Thickness
5.5MM



| **STONIC**



Azure Brown

Size
600X1200MM

Finish
Digi Matt

Random
4

Thickness
5.5MM




STONIC

Features

-  Easy to install
-  Resistant to Staining
-  Impact resistant
-  High MOR
-  Thermal shock resistant
-  Ecology & Sustainable
-  Acid resistant
-  Easy to clean
-  Frost resistant

Azure Brown



Size
600X1200MM
Random
4
Finish
Digi Matt
Thickness
5.5MM

| STONIC



Size
600X1200MM

Finish
Digi Matt

Random
4



Thickness
5.5MM

Azure Crema



STONIC

Features

-  Easy to install
-  Resistant to Staining
-  Impact resistant
-  High MOR
-  Thermal shock resistant
-  Ecology & Sustainable
-  Acid resistant
-  Easy to clean
-  Frost resistant

Azure Crema

Size
600X1200MM


Random
4

Finish
Digi Matt

Thickness
5.5MM



| **STONIC**



Azure Grey

Size 600X1200MM
Finish Digi Matt
Random 4
Thickness 5.5MM






STONIC

Features

-  Easy to install
-  Resistant to Staining
-  Impact resistant
-  High MOR
-  Thermal shock resistant
-  Ecology & Sustainable
-  Acid resistant
-  Easy to clean
-  Frost resistant

Azure Grey



Size
600X1200MM

Random
4

Finish
Digi Matt

Thickness
5.5MM

| STONIC



Size
600X1200MM

Finish
Digi Matt

Random
4

Thickness
5.5MM

Azure Moca



STONIC

Features



Easy to install



Resistant to Staining



Impact resistant



High MOR



Thermal shock resistant



Ecology & Sustainable



Acid resistant



Easy to clean



Frost resistant

Azure Moca

Size
600X1200MM

Random
4

Finish
Digi Matt

Thickness
5.5MM



| **STONIC**



Azure Nero



Size
600X1200MM

Finish
Digi Matt

Random
4

Thickness
5.5MM



STONIC

Features

-  Easy to install
-  Resistant to Staining
-  Impact resistant
-  High MOR
-  Thermal shock resistant
-  Ecology & Sustainable
-  Acid resistant
-  Easy to clean
-  Frost resistant

Azure
Nero



Size
600X1200MM

Random
4

Finish
Digi Matt

Thickness
5.5MM

| STONIC




Size
600X1200MM

Finish
Digi Matt

Random
4

Thickness
5.5MM

Azure Smoke



STONIC

Features



Easy to install



Resistant to Staining



Impact resistant



High MOR



Thermal shock resistant



Ecology & Sustainable



Acid resistant



Easy to clean



Frost resistant

Azure Smoke

Size
600X1200MM


Random
4

Finish
Digi Matt

Thickness
5.5MM



| **STONIC**



Azure Verde

Size 600X1200MM
Random 6
Finish Digi Matt
Thickness 5.5MM




STONIC

Features

- Easy to install
- Resistant to Staining
- Impact resistant
- High MOR
- Thermal shock resistant
- Ecology & Sustainable
- Acid resistant
- Easy to clean
- Frost resistant

Azure
Verde



Size
600X1200MM
Random
6
Finish
Digi Matt
Thickness
5.5MM

| STONIC




Size
600X1200MM

Finish
Digi Matt

Random
4

Thickness
5.5MM

Emerald Silver



STONIC

Features



Easy to install



Resistant to Staining



Impact resistant



High MOR



Thermal shock resistant



Ecology & Sustainable



Acid resistant



Easy to clean



Frost resistant


Emerald Silver

Size
600X1200MM


Random
4

Finish
Digi Matt

Thickness
5.5MM



| STONIC



Emerald Grey

Size
600X1200MM

Finish
Digi Matt

Random
4

Thickness
5.5MM



STONIC

Features

-  Easy to install
-  Resistant to Staining
-  Impact resistant
-  High MOR
-  Thermal shock resistant
-  Ecology & Sustainable
-  Acid resistant
-  Easy to clean
-  Frost resistant

Emerald Grey



Size
600X1200MM

Random
4

Finish
Digi Matt

Thickness
5.5MM



| STONIC



Size
600X1200MM

Random
4

Finish
Digi Matt

Thickness
5.5MM

Emerald Nero



STONIC

Features



Easy to install



Resistant to Staining



Impact resistant



High MOR



Thermal shock resistant



Ecology & Sustainable



Acid resistant



Easy to clean



Frost resistant

Emerald Nero

Size
600X1200MM


Random
4

Finish
Digi Matt

Thickness
5.5MM



| STONIC



Slate Natural

Size
600X1200MM

Finish
Digi Matt

Random
1

Thickness
5.5MM



STONIC

Features

-  Easy to install
-  Resistant to Staining
-  Impact resistant
-  High MOR
-  Thermal shock resistant
-  Ecology & Sustainable
-  Acid resistant
-  Easy to clean
-  Frost resistant


Size
600X1200MM

Finish
Digi Matt

Random
2

Thickness
5.5MM

Topaz Dark Brown



STONIC

Features



Easy to install



Resistant to Staining



Impact resistant



High MOR



Thermal shock resistant



Ecology & Sustainable



Acid resistant





Easy to clean



Frost resistant

Topaz Dark Grey

Size
600X1200MM
Finish
Digi Matt
Random
2
Thickness
5.5MM



STONIC

Features

-  Easy to install
-  Resistant to Staining
-  Impact resistant
-  High MOR
-  Thermal shock resistant
-  Ecology & Sustainable
-  Acid resistant
-  Easy to clean
-  Frost resistant


Size
600X1200MM

Finish
Digi Matt

Random
2

Thickness
5.5MM

Topaz Light Grey



STONIC

Features



Easy to install



Resistant to Staining



Impact resistant



High MOR



Thermal shock resistant



Ecology & Sustainable



Acid resistant



Easy to clean



Frost resistant


Topaz Moca

Size
600X1200MM

Finish
Digi Matt

Random
2

Thickness
5.5MM



STONIC

Features

-  Easy to install
-  Resistant to Staining
-  Impact resistant
-  High MOR
-  Thermal shock resistant
-  Ecology & Sustainable
-  Acid resistant
-  Easy to clean
-  Frost resistant


Size
600X1200MM

Finish
Digi Matt

Random
2

Thickness
5.5MM

Topaz Smoke



STONIC

Features



Easy to install



Resistant to Staining



Impact resistant



High MOR



Thermal shock resistant



Ecology & Sustainable



Acid resistant




Easy to clean



Frost resistant


Size
600X1200MM
Finish
Digi Matt
Random
2
Thickness
5.5MM



Mount
Black

STONIC

Mount
Bianco




Size
600X1200MM
Finish
Digi Matt
Random
2
Thickness
5.5MM

Features

- Easy to install
- Resistant to Staining
- Impact resistant
- High MOR
- Thermal shock resistant
- Ecology & Sustainable
- Acid resistant
- Easy to clean
- Frost resistant


Size
600X1200MM
Finish
Digi Matt

Random
2
Thickness
5.5MM



Mount
Copper

Mount
Crema



Size
600X1200MM
Finish
Digi Matt


Random
2
Thickness
5.5MM

STONIC

Features

-  Easy to install
-  Resistant to Staining
-  Impact resistant
-  High MOR
-  Thermal shock resistant
-  Ecology & Sustainable
-  Acid resistant
-  Easy to clean
-  Frost resistant


Size
600X1200MM
Random
2
Finish
Digi Matt
Thickness
5.5MM



Mount
Dark Grey



Mount
Grey



Size
600X1200MM
Random
2
Finish
Digi Matt
Thickness
5.5MM

Features

-  Easy to install
-  Resistant to Staining
-  Impact resistant
-  High MOR
-  Thermal shock resistant
-  Ecology & Sustainable
-  Acid resistant
-  Easy to clean
-  Frost resistant

A wooden floor panel with a natural wood grain pattern is shown in a perspective view. The panel is set against a solid grey background. A white geometric overlay, consisting of several intersecting lines forming a large triangle and other shapes, is superimposed on the scene. The text '600X 1200MM' is printed in a white, bold, serif font on the grey background.

**600X
1200MM**

EMATT

Brooklyn Wood Beige

Size
600X1200MM

Finish
Matt

Random
4

Thickness
5.5MM



| EMATT

Features

-  Easy to install
-  Resistant to Staining
-  Impact resistant
-  High MOR
-  Thermal shock resistant
-  Ecology & Sustainable
-  Acid resistant
-  Easy to clean
-  Frost resistant

Brooklyn Wood Beige




Size
600X1200MM

Random
4

Finish
Matt

Thickness
5.5MM



Size
600X1200MM

Random
4

Finish
Matt

Thickness
5.5MM

Brooklyn Wood Wenge



| EMATT

Features



Easy to install



Resistant to Staining



Impact resistant



High MOR



Thermal shock resistant



Ecology & Sustainable



Acid resistant



Easy to clean



Frost resistant

Forest Wood

Size
600X1200MM

Random
2

Finish
Matt

Thickness
5.5MM



Sherwood



Features

-  Easy to install
-  Resistant to Staining
-  Impact resistant
-  High MOR
-  Thermal shock resistant
-  Ecology & Sustainable
-  Acid resistant
-  Easy to clean
-  Frost resistant

**600X
1200MM**

STONIC-e



Exotic Black



Size
600X1200MM

Finish
Matt

Random
1

Thickness
5.5MM



STONIC-e

Features

-  Easy to install
-  Resistant to Staining
-  Impact resistant
-  High MOR
-  Thermal shock resistant
-  Ecology & Sustainable
-  Acid resistant
-  Easy to clean
-  Frost resistant

Exotic Grey



Size
600X1200MM

Random
1

Finish
Matt


Thickness
5.5MM

STONIC-e

Exotic White



Exotic Dark Grey



Features



Easy to install



Resistant to Staining



Impact resistant



High MOR



Thermal shock resistant



Ecology & Sustainable



Acid resistant



Easy to clean



Frost resistant

Size
600X1200MM

Finish
Sparkle

Random
1

Thickness
5.5MM

Exotic Sparkle Black



STONIC-e

Features



Easy to install



Resistant to Staining



Impact resistant



High MOR



Thermal shock resistant



Ecology & Sustainable



Acid resistant




Easy to clean



Frost resistant

Exotic Sparkle Grey



Size
600X1200MM

Finish
Sparkle

Random
1

Thickness
5.5MM

| **STONIC-e**

Exotic Sparkle White



Size
600X1200MM

Finish
Sparkle

Random
1

Thickness
5.5MM

Features



Easy to install



Resistant to Staining



Impact resistant



High MOR



Thermal shock resistant



Ecology & Sustainable




Acid resistant



Easy to clean



Frost resistant



Since 1962

THE STONE PEOPLE

D - 200, Marble Market,
Mansarover Garden,
New Delhi - 110015.
INDIA.

+91 11 2511 1111 | +91 98739 39391
stonepeopleindia@gmail.com

www.thestonepeople.in